



INDOOR & OUTDOOR SPORT SURFACES



Commercial Sport Surfaces



World's Largest CourtBuilder™

Contents

- 3 About Sport Court®
- 4 The CourtBuilder Advantage
- 6 Partnerships
- 8 Court Renovation
- 9 Safety
- 10 Indoor Surfaces
- 14 Outdoor Surfaces
- 18 Design Your Court
- 20 Technical Specifications



Why Sport Court?

Integrity. From design and installation to support, we're committed to providing our commercial customers with the most innovative and highest performing solutions for their specific applications.

Safety. Every Sport Court flooring system is extensively tested to ensure youth and adults alike are safe while learning, practicing and competing on our surfaces.

Low Cost. Commercial Focus. For decades, we've been building high-quality places to play. Our sport surfaces deliver high-level performance for authentic play at a remarkably low cost of ownership.



Installed over **150 million sqft**
That's enough to wrap around the globe.

Build a Better Court.

More park districts, schools and community centers are replacing their old outdoor acrylic, concrete and asphalt courts and indoor recreation flooring with versatile Sport Court® modular playing surfaces. Thoughtfully engineered, manufactured and tested for performance and safety in Salt Lake City, Utah. Working with the world's largest network of local CourtBuilders™, you can confidently provide the ideal playing surface for your community.



The CourtBuilder™ Advantage.

Fiercely committed to quality, Sport Court, unlike other game court manufacturers, only allows authorized CourtBuilders to install the world's leading indoor and outdoor modular sport surfaces. They live and work in your area, so they understand local building codes, weather and environmental issues. Find your local CourtBuilder at www.sportcourt.com.



- ✓ Local CourtBuilders
- ✓ Since 1974
- ✓ Construction Management
- ✓ Over 100,000 Courts Built
- ✓ Ongoing Service
- ✓ One Stop Shop

Design Your Court


Find Your Local CourtBuilder





Installation and Maintenance.

Your local CourtBuilder will be your partner every step of the way. Working closely with you, they will take care of every detail: from design consultation and installation to responsive support and service for the life of your court.



Installation.

Each installation is unique and based on the subfloor properties. It may include pouring a concrete slab to specification, anchoring the court and using ramp edging for safety and security. Your CourtBuilder is equipped to recommend the best solution for your facility.


Maintenance.

All Sport Court surfaces require minimal cleaning and maintenance, and never need to be recoated. Your CourtBuilder can provide a more detailed periodic cleaning and maintenance program customized to your specific site needs.



Key Partnerships Making a Lasting Impact.

We believe in team building. That's why we've gathered an all-star squad of great partners, including Under Armour, Nancy Lieberman Charities, Kaboom, Giants of Africa and Eat. Learn. Play. Sport Court is proud to be an official supplier of great professional and amateur sports organizations like the NCAA®, USA Volleyball, FIBA, FIVB, and USA Pickleball, as well as community clubs and teams across the nation.



"The Nike Tournament of Champions has chosen Sport Court's Maple Select flooring for nearly ten years due to the athletic properties it provides our players, the professional look synonymous with Nike, and the confidence we had knowing our athletes were competing on the best and safest modular sport surface in the industry."

—Steve Kozaki, Nike Tournament of Champions Director





Ideal for Court Renovation.

Make the most of your existing facilities. Sport Court's patented, interlocking tiles easily overlay outdated surfaces. Now, you can repurpose underutilized courts and free up space for more sports and recreational programming. Sport Court surfaces are guaranteed to look great for years to come with minimal maintenance.



After



Before



Before



After


Ideal for Safety.

All Sport Court tiles provide exceptional protection against abrasions, head injuries and joint strain. Extensive third-party testing ensures that athletes of any age remain safe while playing and competing on Sport Court surfaces.



Shock Absorption.

The most important safety consideration of any sports surface is shock absorption: the ability of the surface to absorb the energy of an impact. Sport Court surfaces feature patented, vertical shock-absorbing grids to reduce the risk of short- and long-term injuries.



*12% - 26% depending on the underlayment


Lateral Forgiveness.™

Too much lateral movement is like trying to change direction while running on ice; you keep sliding. Not enough lateral movement can create strain on your muscles and joints. Sport Court's Lateral Forgiveness feature allows for slight movement between tiles to absorb the transition forces generated from sudden shifts in direction, reducing the risk of muscle and joint injuries.



Superior Impact Protection.

A head impact from a few inches above a concrete or acrylic surface can cause a concussion. Sport Court surfaces are significantly more forgiving and provide more protection against impact injuries to wrists, arms, knees and shoulders compared to other hard-court surfaces.



Low Risk of Skin Abrasion.

Abrasions and scrapes can be common when slipping on a hard-court. All Sport Court surfaces are specifically designed to lower the risk of skin damage without compromising on traction.



Maple Select™ The Ultimate Modular Indoor Sports Flooring System.

The moment you step onto a high-gloss Maple Select floor, you will feel like you are standing on a genuine hardwood maple court. Thanks to our partnership with Connor Sports®, only Maple Select uses a unique process to reproduce the natural depth and beauty of real maple.



INDOOR



Maple Select™

Proprietary SportGuard™ advanced surface treatment provides an incredibly durable, UV-cured, multilayer finish

- Look, feel and performance of real hard maple
- High-impact comolded polypropylene surface
- Customizable to meet the needs of your facility

[Download Sales Sheet](#)

Size	Weight	Shock Absorption	Traction	Ball Rebound DIN 18032
9.842" x 9.842" x 0.5"	0.91 lb/sqft	12% - 26% depending on underlayment	89 BPN	99% ball bounce


Response HG

Proprietary SportGuard™ advanced surface treatment provides an incredibly durable, UV-cured, multilayer finish

High-impact polypropylene surface

Patented Lateral Forgiveness™ protects athletes' joints

Customizable levels of shock absorption



INDOOR

Size	Weight	Shock Absorption	Traction	Ball Rebound DIN 18032
9.842" x 9.842" x 0.5"	0.91 lb/sqft	12% - 26% depending on underlayment	89 BPN	99% ball bounce

[Download Sales Sheet](#)



Response

Customizable color options

Patented Lateral Forgiveness™ protects athletes' joints

High-impact polypropylene surface

Customizable levels of shock absorption



INDOOR

Size	Weight	Shock Absorption	Traction	Ball Rebound DIN 18032
9.842" x 9.842" x 0.5"	0.91 lb/sqft	12% - 26% depending on underlayment	88 BPN	99% ball bounce

[Download Sales Sheet](#)


Defense

Customizable color options

Patented Lateral Forgiveness™ protects athletes' joints

High-impact polypropylene surface

Customizable levels of shock absorption



INDOOR

Size	Weight	Shock Absorption	Traction	Ball Rebound DIN 18032
12" x 12" x 0.5"	0.82 lb/sqft	10% - 25% depending on underlayment	97 BPN	99% ball bounce

[Download Sales Sheet](#)

Sport Court Modular Indoor Sport Surfaces.

The look of hardwood, the safety of Sport Court.



Truly Inspiring Wood Designs to Play On.

Including our classic Light Maple and Dark Maple designs, this high-performance surface is available in 4 beautiful wood colors inspired by the complex staining techniques used on premier NBA and NCAA® courts.

Compatible with All Response HG™ Solid Colors.

With Maple Select's full compatibility with the 16 solid colors of Response HG, there are more ways than ever to customize the look of your court.



Safe

Sport Court modular sport floors provide the best balance between safety and playability. In addition to meeting ASTM F2772 shock absorption standards for sport floors, each surface is engineered with integrated Lateral Forgiveness™ and extensively tested to ensure youth and adults are safe while learning, practicing, and competing on our surfaces.



Smart


Trusted by the top sport associations, Sport Court floors will give reduced upfront construction costs, are backed by a 15-year limited warranty, and have a low cost of ownership to ensure your budget dollars reach their maximum potential without compromising on quality.

Taber Abrasion – ASTM 4060

Tests the abrasion resistance of coatings*


Tested Surfaces	Wear Through (Revolutions)	Weight Loss (mg)
Maple Select SportGuard	597	176
Competitor's Surface Treatment	18	371

*Independent, third-party certified testing facility, based on ASTM 04060-10



Sport Court SportGuard

Minimal wear at 597 Taber Revolutions



Competitor's Surface Treatment

Excessive wear at 18 Taber Revolutions



Flexible

With 20 color/design options available to mix and match, customizable logos, and custom game lines, Sport Court can provide a surface specific to your facility needs. Our surfaces and customizable underlayment allow you to host virtually any group activity, sporting event, and physical education curriculum.

TILE ONLY	TILE + 2.0MM UNDERLAYMENT	TILE + 3.0MM UNDERLAYMENT	TILE + 5.0MM UNDERLAYMENT
CLASS 1		CLASS 2	
 MULTIPURPOSE EVENT	BASKETBALL	VOLLEYBALL	 HIGH-IMPACT SPORTS & TRAINING
		MULTI-SPORTS	






Play Longer, Play Safer, Play Better!

PrimePlay featuring WetTrax technology, is the most innovative outdoor multi-sport surface to hit the market. With playability of most outdoor sports including basketball, futsal, volleyball, pickleball and more, PrimePlay was designed for optimal play with indistinguishable ball bounce of a traditional outdoor basketball court, plus excellent wet traction to allow for play even on a cloudy day or a dewy morning.




OUTDOOR



- Best in class multi-sport modular surface
- Patented WetTrax technology allowing play without having to wait hours for the court to dry*
- 14% shock absorption protects athletes muscles and joints
- Ball bounce comparable to a wood or concrete basketball court

[Download Sales Sheet](#)

Size	Weight	Head Impact ASTM 1292	Traction EN 13036-4	Ball Rebound DIN 18032
12" x 12" x 0.5"	0.75 lb	21.4" drop height pass	103/91 BPN (Dry/Wet)	99% ball bounce



OUTDOOR



SPORTGAME PB

Premium pickleball surface


Consistent ball bounce response for optimal pickleball play

Wet and dry traction comparable to acrylic surface with additional protection against skin abrasion

13% shock absorption, superior to acrylic and meets ASTM F2772 standards for a sports floor

Size	Weight	Head Impact ASTM 1292	Traction EN 13036-4	Ball Rebound DIN 18032
9.842" x 9.842" x 0.5"	0.45 lb	16" drop height pass	102/81 BPN (Dry/Wet)	100% ball bounce

[Download Sales Sheet](#)



OUTDOOR



POWERGAME+

Multi-sport modular surface

Patented Lateral Forgiveness™ protects athletes' joints

Best-in-class UV protection from color fading

Advanced double-tier design for high-impact protection

Diamond grid design for fastest water drainage and lowest water retention

Size	Weight	Head Impact ASTM 1292	Traction EN 13036-4	Ball Rebound DIN 18032
12" x 12" x 0.75"	0.73 lb	37" drop height pass	99/45 BPN (Dry/Wet)	100% ball bounce

[Download Sales Sheet](#)

Your Court. Your Inspiration.



A Sport Court game court not only brings people together, it's customizable to create a perfect visual experience. With a palette of 19 fade-resistant colors, you can easily design the look of your outdoor court to fit in with the environment—using earth tones and neutral colors, or stand out with bright, colorful designs. From inspiration to installation, your local CourtBuilder will work with you every step of the way.



Long-Lasting Color Stability.

In accelerated weather testing that simulates 10 years of sun exposure, the colors of PrimePlay, PowerGame+ and SportGame PB tiles remained vibrant. Competitive tiles faded in as little as 2 years, and all showed significant color fading well before 10 years.



Competitor A - 2 years




Competitor B - 3 years




Competitor C - 3 years



PowerGame+ - 10 years



SportGame PB - 10 years



Not all colors available in all products. Work with your CourtBuilder to identify the best colors and product for your facility.

From Day Camp to Competition, Everyone in Your Community Wins.

Working with your local CourtBuilder™, you can design an outdoor recreational space for any programming need, including team sports, educational curriculum, group fitness, day camps and more. Upgrading to a Sport Court surface will increase the use of your facility's recreation spaces because it provides a safer experience for community members of all ages and allows for more game options.



**Quick installation
and easy maintenance**



**Designed to fit your
facility and budget**



Supports Zero Waste initiatives



Safe



Ready. Set. Build a Court.

Use our online court builder tool to create a custom court and color design. Choose your games, dimensions, colors and accessories and start building the indoor or outdoor court that meets your facility needs.

The screenshot shows the Sport Court online court builder tool interface for an indoor court design. The top navigation bar includes "Architect Toolkit", "Gallery", "Dealer Login", and a "FIND A DISTRIBUTOR" button. The main header features the Sport Court logo and navigation options: "Products", "Basketball", "Pickleball", "Volleyball", "Futsal", "Tennis", "Multi-Sport", "Design A Court", and "CourtBuilder Advantage". Below this, there are buttons for "New Court", "Save", "My Courts", "Print", "Share", "Contact", and "GET A QUOTE".

The interface is divided into several sections:

- Game Lines:** Includes "Volleyball 1 Game Lines" and "Basketball Pickleball 1 Game Lines". There are "Prioritize Game Lines" and "Remove Game Lines" options, along with a "Game Lines" dropdown and an "ADD" button.
- GAME LINE DIMENSIONS:** Features input fields for "WIDTH FT" (set to 48) and "LENGTH FT" (set to 84). Below these are "MIN 20 MARK 30" and "MIN 64 MARK 64" labels.
- GAME LINE POSITION & ROTATION:** Includes sliders for "HORIZONTAL" and "VERTICAL" positioning, and buttons for "ROTATE 90" and "CENTER".
- COLORS:** A color selection panel with "Back" and "Bright Red" options. The selected colors are: Field (Light Maple), Interior Court (Deep Blue Maple), Key (Dark Maple), Line (White), and Border (Bright Red). A "Thickness" input is set to 0.
- HOOPS:** Includes "ADD HOOP" and "UPLOAD LOGO FOR COURT" buttons, with a "WIDTH" input set to 0.
- 3D View:** A central 3D rendering of an indoor basketball court with a wooden floor and blue key areas. A "INDOOR" label is overlaid on the right. The view includes "ZOOM IN" and "ZOOM OUT" controls.
- COURT AREA SIZE:** A summary bar at the bottom of the 3D view showing "WIDTH 60 FT" and "LENGTH 100 FT". It also includes a "Design a second color scheme and compare courts" link and a "COMPARE" button.

The footer of the interface features the Sport Court logo and the text "A Decker company".

The screenshot shows the Sport Court online court builder tool interface for an outdoor court design. The top navigation bar and main header are identical to the indoor court design screenshot.

The interface is divided into several sections:



- Game Lines:** Includes "Volleyball 1 Game Lines", "Basketball Pickleball 1 Game Lines", and "Simplified Futsal 1 Game Lines". There are "Prioritize Game Lines" and "Remove Game Lines" options, along with a "Game Lines" dropdown and an "ADD" button.
- GAME LINE DIMENSIONS:** Features input fields for "WIDTH FT" (set to 30) and "LENGTH FT" (set to 60). Below these are "MIN 20 MARK 30" and "MIN 50 MARK 60" labels.
- GAME LINE POSITION & ROTATION:** Includes sliders for "HORIZONTAL" and "VERTICAL" positioning, and buttons for "ROTATE 90" and "CENTER".
- COLORS:** A color selection panel with "Back" and "Bright Red" options. The selected colors are: Field (Kiel), Interior Court (Steel Blue), Attack Zone (No Color), Line (White), and Border (Bright Red). A "Thickness" input is set to 0.
- BALL CONTAINMENT:** Includes a "Click on color to add ball containment" instruction and an "ADD FENCE 10'X10'" button.
- LIGHTS:** Includes "ADD ONE FUTURE" and "ADD TWO FUTURES" buttons.
- HOOPS:** Includes "ADD HOOP" and "UPLOAD LOGO FOR COURT" buttons, with a "WIDTH" input set to 0.
- REBOUNDERS:** Includes "ADD 10'X10" REBOUNDER" and "ADD 10'X20" REBOUNDER" buttons.
- 3D View:** A central 3D rendering of an outdoor basketball court with a red and blue court surface, set against a background of a green field and city buildings. An "OUTDOOR" label is overlaid on the right. The view includes "ZOOM IN" and "ZOOM OUT" controls.
- COURT AREA SIZE:** A summary bar at the bottom of the 3D view showing "WIDTH 48 FT" and "LENGTH 80 FT". It also includes a "Design a second color scheme and compare courts" link and a "COMPARE" button.

The footer of the interface features the Sport Court logo and the text "A Decker company".

A Court for Every Space.

Your local CourtBuilder will work with you to bring your design to life or will work collaboratively with you to create a custom court and color design that fits your space and needs. From basketball and pickleball to multi-sport surfaces, outdoor or indoor, they'll work with you every step of the way.

Fully Customizable Sizes:



Technical Specifications

	Standard	PrimePlay	SportGame PB	PowerGame+
Product Description				
Dimensions	ASTM F2005, ASTM F386, EN 1969	12" x 12" x 0.5"	9.842" x 9.842" x 0.5"	12" x 12" x 0.75"
Weight	–	0.75 lb	0.45 lb	0.73 lb
Flatness	–	0.0" (0.0 mm)		
Sport Properties				
Shock Absorption	EN 14808	14%	13%	13%
Ball Rebound	DIN 18032-02	99%	100%	100%
Lateral Forgiveness™	–	+0.065"/0" (1.65 mm/0 mm)	+0.075"/0" (1.905 mm/0 mm)	+0.065"/0" (1.65 mm/0 mm)
Critical Fall Height	ASTM F1292	21.4"	16"	37"
Skin Abrasion Index	ASTM F1015	40%	37%	28%
Technical Characteristics				
Durometer	ASTM D2240	95 A Shore A	94 A Shore A	95 A Shore A
Frictional Properties	EN 13036-4	103/91 BPN (Dry/Wet)	102/81 BPN (Dry/Wet)	99/45 BPN (Dry/Wet)
SC Weathering (UV Resistance)	SC-012	>10,000 hrs		
Water Retention	SC-020	1 ml/100 ml	2 ml/100 ml	1 ml/100 ml
Acoustics	SC-024	Excellent		
Manufacturing				
Quality Management	ISO 9001	Certified		
Environmental Management	ISO 14001	Certified		
Recyclability	–	100% Recyclable		
Warranty	–	15-Year Limited		

	Standard	Maple Select	Response HG	Response	Defense
Product Description					
Dimensions	ASTM F2005, ASTM F386, EN 1969	9.842" x 9.842" x 0.5"	9.842" x 9.842" x 0.5"	9.842" x 9.842" x 0.5"	12" x 12" x 0.5"
Weight	–	0.91 lb/sqft	0.91 lb/sqft	0.91 lb/sqft	0.82 lb/sqft
Flatness	–	+0.029"/-0.0"			
Sport Properties					
Shock Absorption	ASTM F2569	12% - 26% depending on underlayment	12% - 26% depending on underlayment	12% - 26% depending on underlayment	10% - 25% depending on underlayment
Ball Rebound	ASTM F2117	99%			
Lateral Forgiveness™	–	+0.045"/-0" (+1.14 mm/-0 mm)			
Traction	ASTM E303	89 BPN	89 BPN	88 BPN	97 BPN
Vertical Deformation	EN 14809	0.6 mm (5 mm RR)	0.6 mm (5 mm RR)	0.6 mm (5 mm RR)	0.6 mm (7 mm RR)
Sport Performance	ASTM F2772	Class 1 - 2	Class 1 - 2	Class 1 - 2	Class 1
Technical Characteristics					
Resistance to Wear	EN ISO 5470-1	48 mg	48 mg	49 mg	35 mg
Scratch Resistance	GMN3943	Rating 1 (no damage)	Rating 1 (no damage)	Rating 2	Rating 2
Noise Reduction Coefficient	ASTM C 423	Up to 24% depending on underlayment			Not Tested
Rolling Load	EN 1569	Pass			
Manufacturing					
Environmental Management	ISO 14001:2015	Certified			
Waste	–	Zero Waste Facility			
Warranty	–	15-Year Limited			